

Page 1 (Scheduler not running?):

```
{'cups_connection_failure': False}
```

Page 2 (Choose printer):

```
{'cups_dest': <cups.Dest HP-LaserJet-P1005 (default)>,  
'cups_instance': None,  
'cups_queue': 'HP-LaserJet-P1005',  
'cups_queue_listed': True}
```

Page 3 (Check printer sanity):

```
{'cups_device_uri_scheme': u'usb',  
'cups_printer_dict': {'device-uri': u'usb://HP/LaserJet%20P1005',  
'printer-info': u'Hewlett-Packard HP LaserJet P1005',  
'printer-is-shared': True,  
'printer-location': u'localhost.localdomain',  
'printer-make-and-model': u'HP LaserJet P2010 Foomatic/hpijs (recommended)',  
'printer-state': 3,  
'printer-state-message': u'',  
'printer-state-reasons': [u'none'],  
'printer-type': 36884,  
'printer-uri-supported': u'ipp://localhost:631/printers/HP-LaserJet-P1005'},  
'cups_printer_remote': False,  
'is_cups_class': False,  
'local_cups_queue_attributes': {'auth-info-required': u'none',  
'charset-configured': u'utf-8',  
'charset-supported': [u'us-ascii', u'utf-8'],  
'color-supported': False,  
'compression-supported': [u'none', u'gzip'],  
'copies-default': 1,  
'copies-supported': (1, 100),  
'cups-version': u'1.3.10',  
'device-uri': u'usb://HP/LaserJet%20P1005',  
'document-format-default': u'application/octet-stream',  
'document-format-supported': [u'application/octet-stream',  
u'application/pdf',  
u'application/postscript',  
u'application/vnd.cups-postscript',  
u'application/vnd.cups-raw',  
u'application/vnd.hp-hpgl',  
u'application/x-cshell',  
u'application/x-csource',  
u'application/x-perl',  
u'application/x-shell',  
u'image/gif',  
u'image/jpeg',  
u'image/png',  
u'image/tiff',  
u'image/x-bitmap',  
u'image/x-photocd',  
u'image/x-portable-anymap',
```

u'image/x-portable-bitmap',
u'image/x-portable-graymap',
u'image/x-portable-pixmap',
u'image/x-sgi-rgb',
u'image/x-sun-raster',
u'image/x-xbitmap',
u'image/x-xpixmap',
u'text/html',
u'text/plain'],
'finishings-default': 3,
'finishings-supported': [3],
'generated-natural-language-supported': [u'en-us'],
'ipp-versions-supported': [u'1.0', u'1.1'],
'job-hold-until-default': u'no-hold',
'job-hold-until-supported': [u'no-hold',
u'indefinite',
u'day-time',
u'evening',
u'night',
u'second-shift',
u'third-shift',
u'weekend'],
'job-k-limit': 0,
'job-page-limit': 0,
'job-priority-default': 50,
'job-priority-supported': 100,
'job-quota-period': 0,
'job-sheets-default': (u'none', u'none'),
'job-sheets-supported': [u'none',
u'classified',
u'confidential',
u'mls',
u'secret',
u'selinux',
u'standard',
u'te',
u'topsecret',
u'unclassified'],
'marker-change-time': 0,
'media-default': u'Letter',
'media-supported': [u'Default',
u'PhotoTray',
u'Upper',
u'Lower',
u'CDDVDTray',
u'Envelope',
u'LargeCapacity',
u'Manual',

u'MPTray',
u'Custom',
u'Letter',
u'A4',
u'Photo',
u'Photo5x7',
u'3x5',
u'5x8',
u'A5',
u'A6',
u'B5JIS',
u'CDDVD80',
u'CDDVD120',
u'Env10',
u'EnvC5',
u'EnvC6',
u'EnvDL',
u'EnvISOB5',
u'EnvMonarch',
u'Executive',
u'FLSA',
u'Hagaki',
u'Legal',
u'Oufuku',
u'w558h774',
u'w612h935'],
'multiple-document-handling-supported': [u'separate-documents-uncollated-
copies',
u'separate-documents-collated-copies'],
'multiple-document-jobs-supported': True,
'multiple-operation-time-out': 60,
'natural-language-configured': u'en-us',
'notify-attributes-supported': [u'printer-state-change-time',
u'notify-lease-expiration-time',
u'notify-subscriber-user-name'],
'notify-events-default': [u'job-completed'],
'notify-events-supported': [u'job-completed',
u'job-config-changed',
u'job-created',
u'job-progress',
u'job-state-changed',
u'job-stopped',
u'printer-added',
u'printer-changed',
u'printer-config-changed',
u'printer-deleted',
u'printer-finishings-changed',
u'printer-media-changed',

u'printer-modified',
u'printer-restarted',
u'printer-shutdown',
u'printer-state-changed',
u'printer-stopped',
u'server-audit',
u'server-restarted',
u'server-started',
u'server-stopped'],
'notify-lease-duration-default': 86400,
'notify-lease-duration-supported': (0,
2147483647),
'notify-max-events-supported': 100,
'notify-pull-method-supported': [u'ippget'],
'notify-schemes-supported': [u'mailto',
u'rss'],
'number-up-default': 1,
'number-up-supported': [1, 2, 4, 6, 9, 16],
'operations-supported': [2,
4,
5,
6,
8,
9,
10,
11,
12,
13,
16,
17,
18,
20,
22,
23,
24,
25,
26,
27,
28,
34,
35,
16385,
16386,
16387,
16388,
16389,
16390,
16391,

```
        16392,
        16393,
        16394,
        16395,
        16396,
        16397,
        16398],
'orientation-requested-default': None,
'orientation-requested-supported': [3,
        4,
        5,
        6],
'page-ranges-supported': True,
'pages-per-minute': 1,
'pdl-override-supported': [u'not-attempted'],
'port-monitor': u'none',
'port-monitor-supported': [u'none'],
'printer-current-time': '(IPP_TAG_DATE)',
'printer-error-policy': u'stop-printer',
'printer-error-policy-supported': [u'abort-job',
        u'retry-job',
        u'stop-printer'],
'printer-info': u'Hewlett-Packard HP LaserJet P1005',
'printer-is-accepting-jobs': True,
'printer-is-shared': True,
'printer-location': u'localhost.localdomain',
'printer-make-and-model': u'HP LaserJet P2010 Foomatic/hpijs
(recommended)',
'printer-more-info': u'ipp://localhost.localdomain:631/printers/HP-LaserJet-
P1005',
'printer-name': u'HP-LaserJet-P1005',
'printer-op-policy': u'default',
'printer-op-policy-supported': [u'default'],
'printer-state': 3,
'printer-state-change-time': 1241457252,
'printer-state-message': u'',
'printer-state-reasons': [u'none'],
'printer-type': 36884,
'printer-up-time': 1241457338,
'printer-uri-supported': [u'ipp://localhost:631/printers/HP-LaserJet-P1005'],
'queued-job-count': 0,
'sides-default': u'one-sided',
'sides-supported': [u'one-sided',
        u'two-sided-long-edge',
        u'two-sided-short-edge'],
'uri-authentication-supported': [u'requesting-user-name'],
'uri-security-supported': [u'none']}]}
```

```
{'cups_printer_ppd_defaults': {'General': {'Duplex': u'None',
      u'InputSlot': u'Default',
      u'PageRegion': u'Letter',
      u'PageSize': u'Letter',
      u'PrintoutMode': u'Normal'},
      u'PrintoutMode': {'Quality': u'FromPrintoutMode'}}},
```

```
'cups_printer_ppd_valid': True,
'missing_pkgs_and_exes': ([], [])}
```

Page 5 (Local or remote?):

```
{'printer_is_remote': False}
```

Page 6 (Choose device):

```
{'cups_device_dict': {'device-class': u'direct',
      'device-id': u'MFG:Hewlett-Packard;MDL:HP LaserJet
P1005;CMD:ACL;CLS:PRINTER;DES:HP LaserJet P1005;',
      'device-info': u'HP LaserJet P1005 USB #1',
      'device-make-and-model': u'HP LaserJet P1005'}}
```

Page 7 (Check USB permissions):

```
{'getfacl_output': [('/dev/usb/lp0',
      ['# file: dev/usb/lp0',
      '# owner: root',
      '# group: lp',
      'user::rw-',
      'group::rw-',
      'other:---']),
      ('Bus 001 Device 003: ID 03f0:3d17 Hewlett-Packard ',
      ['# file: dev/bus/usb/001/003',
      '# owner: root',
      '# group: root',
      'user::rw-',
      'group::r--',
      'other::r--'])]}
```

Page 8 (Error log checkpoint):

```
{'cups_server_settings': {'DefaultAuthType': 'Basic',
      'MaxLogSize': '0',
      'SystemGroup': 'sys root',
      '_debug_logging': '0',
      '_remote_admin': '0',
      '_remote_any': '0',
      '_remote_printers': '1',
      '_share_printers': '0',
      '_user_cancel_any': '0'},
```

```
'error_log_checkpoint': 20134L,
'error_log_debug_logging_set': True}
```

Page 9 (Print test page):

```
{'test_page_attempted': True,
'test_page_completions': [(7, u'Job completed.')],
'test_page_job_id': [7],
'test_page_job_status': [(True,
```

```
7,
'HP-LaserJet-P1005',
'Test Page',
'Completed',
{'attributes-charset': u'utf-8',
'attributes-natural-language': u'en-us',
'document-format': u'application/postscript',
'job-hold-until': u'no-hold',
'job-id': 7,
'job-k-octets': 17,
'job-media-sheets-completed': 1,
'job-more-info': u'ipp://localhost:631/jobs/7',
'job-name': u'Test Page',
'job-originating-host-name': u'localhost',
'job-originating-user-name': u'user',
'job-preserved': False,
'job-printer-state-message': u'Printer is now on-line.',
'job-printer-state-reasons': [u'none'],
'job-printer-up-time': 1241457401,
'job-printer-uri': u'ipp://localhost.localdomain:631/printers/HP-LaserJet-P1005',
'job-priority': 50,
'job-sheets': [u'none', u'none'],
'job-state': 9,
'job-state-reasons': u'job-completed-successfully',
'job-uri': u'ipp://localhost:631/jobs/7',
'job-uuid': u'urn:uuid:a07f0fc6-ad4a-36b7-784c-c1a8b24227d8',
'printer-uri': u'ipp://localhost/printers/HP-LaserJet-P1005',
'time-at-completed': 1241457390,
'time-at-creation': 1241457388,
'time-at-processing': 1241457388}}],
```

'test_page_successful': False}

Page 10 (Error log fetch):

```
{'error_log': ['D [04/May/2009:20:16:15 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:15 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:15 +0300] Get-Jobs ipp://localhost/printers/',
'D [04/May/2009:20:16:15 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:15 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:15 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:15 +0300] Create-Printer-Subscription /',
'D [04/May/2009:20:16:15 +0300] cupsdCreateSubscription(con=0x198ae28(9),
uri="/")',
'D [04/May/2009:20:16:15 +0300] pullmethod="ippget"',
'D [04/May/2009:20:16:15 +0300] notify-lease-duration=86400',
'D [04/May/2009:20:16:15 +0300] notify-time-interval=0',
'D [04/May/2009:20:16:15 +0300] cupsdAddSubscription(mask=17800, dest=(nil)(),
job=(nil)(0), uri="(null)"),
'D [04/May/2009:20:16:15 +0300] Added subscription 5 for server',
```

'I [04/May/2009:20:16:15 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:15 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:16 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:16 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:16 +0300] Get-Notifications /',
'D [04/May/2009:20:16:16 +0300] cupsdIsAuthorized: requesting-user-name="root",
'D [04/May/2009:20:16:16 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 10 from localhost (Domain)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 10 POST /printers/HP-LaserJet-
P1005 HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Print-Job ipp://localhost/printers/HP-LaserJet-
P1005',
'D [04/May/2009:20:16:28 +0300] [Job ???] Auto-typing file...',
'I [04/May/2009:20:16:28 +0300] [Job ???] Request file type is application/postscript.',
'D [04/May/2009:20:16:28 +0300] add_job: setting context of job to UNKNOWN SL',
'D [04/May/2009:20:16:28 +0300] add_job: requesting-user-name="user",
'D [04/May/2009:20:16:28 +0300] Adding default job-sheets values "none,none"...',
'I [04/May/2009:20:16:28 +0300] [Job 7] Adding start banner page "none".',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'I [04/May/2009:20:16:28 +0300] [Job 7] Adding end banner page "none".',
'I [04/May/2009:20:16:28 +0300] [Job 7] File of type application/postscript queued by
"user".',
'D [04/May/2009:20:16:28 +0300] [Job 7] hold_until=0',
'I [04/May/2009:20:16:28 +0300] [Job 7] Queued on "HP-LaserJet-P1005" by "user".',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:28 +0300] [Job 7] job-sheets=none,none',
'D [04/May/2009:20:16:28 +0300] [Job 7] banner_page = 0',
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[0]="HP-LaserJet-P1005",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[1]="7",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[2]="user",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[3]="Test Page",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[4]="1",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[5]="job-uuid=urn:uuid:a07f0fc6-
ad4a-36b7-784c-c1a8b24227d8",
'D [04/May/2009:20:16:28 +0300] [Job 7] argv[6]="/var/spool/cups/d00007-001",
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[0]="CUPS_CACHEDIR=/var/cache/
cups",
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[1]="CUPS_DATADIR=/usr/share/
cups",
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[2]="CUPS_DOCROOT=/usr/share/
cups/www",
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[3]="CUPS_FONTPATH=/usr/share/
cups/fonts",


```
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[4]="CUPS_REQUESTROOT=/var/spool/cups"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[5]="CUPS_SERVERBIN=/usr/lib/cups"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[6]="CUPS_SERVERROOT=/etc/cups"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[7]="CUPS_STATEDIR=/var/run/cups"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[8]="PATH=/usr/lib/cups/filter:/usr/bin:/usr/sbin:/bin:/usr/bin"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[9]
="SERVER_ADMIN=root@localhost.localdomain"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[10]="SOFTWARE=CUPS/1.3.10"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[11]="TMPDIR=/var/spool/cups/tmp"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[12]="USER=root"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[13]="CUPS_SERVER=/var/run/cups/cups.sock"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[14]
="CUPS_ENCRYPTION=IfRequested"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[15]="IPP_PORT=631"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[16]="CHARSET=utf-8"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[17]="LANG=en_US.UTF-8"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[18]="PPD=/etc/cups/ppd/HP-LaserJet-P1005.ppd"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[19]="RIP_MAX_CACHE=8m"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[20]="CONTENT_TYPE=application/postscript"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[21]="DEVICE_URI=usb://HP/LaserJet%20P1005"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[22]="PRINTER=HP-LaserJet-P1005"',
'D [04/May/2009:20:16:28 +0300] [Job 7] envp[23]
="FINAL_CONTENT_TYPE=printer/HP-LaserJet-P1005"',
'I [04/May/2009:20:16:28 +0300] [Job 7] Started filter /usr/lib/cups/filter/pstops (PID 3278)',
'I [04/May/2009:20:16:28 +0300] [Job 7] Started filter /usr/lib/cups/filter/foomatic-rip (PID 3279)',
'I [04/May/2009:20:16:28 +0300] [Job 7] Started backend /usr/lib/cups/backend/usb (PID 3280)',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPPRequest: 10 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:28 +0300] [Job 7] Printer using device file "/dev/usb/lp0"...',
'D [04/May/2009:20:16:28 +0300] [Job 7] backendRunLoop(print_fd=0, device_fd=5, use_bc=1, side_cb=0x788a30)',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:28 +0300] cupsdCloseClient: 10',
'D [04/May/2009:20:16:28 +0300] [Job 7] Page = 612x792; 18,14 to 594,778'
```

'D [04/May/2009:20:16:28 +0300] [Job 7] slow_collate=0, slow_duplex=0,
slow_order=0',
'D [04/May/2009:20:16:28 +0300] [Job 7] Before copy_comments - %!PS-Adobe-3.0',
'D [04/May/2009:20:16:28 +0300] [Job 7] %!PS-Adobe-3.0',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%BoundingBox: 0 0 612 792',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%Pages: 1',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%LanguageLevel: 1',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%DocumentData: Clean7Bit',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%DocumentSuppliedResources: procset
testprint/1.3',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%DocumentNeededResources: font
Helvetica Helvetica-Bold Times-Roman',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%Creator: Michael Sweet, Apple Inc.',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%CreationDate: D:20090113092400
+0800',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%Title: Test Page',
'D [04/May/2009:20:16:28 +0300] [Job 7] %%EndComments',
'D [04/May/2009:20:16:28 +0300] [Job 7] Before copy_prolog - %%BeginProlog',
'D [04/May/2009:20:16:28 +0300] [Job 7] Before copy_setup - %%Page: 1 1',
'D [04/May/2009:20:16:28 +0300] [Job 7] Before page loop - %%Page: 1 1',
'D [04/May/2009:20:16:28 +0300] [Job 7] Copying page 1...',
'D [04/May/2009:20:16:28 +0300] [Job 7] pagew = 576.0, pagel = 763.2',
'D [04/May/2009:20:16:28 +0300] [Job 7] bboxx = 0, bboxy = 0, bboxw = 612, bboxl
= 792',
'D [04/May/2009:20:16:28 +0300] [Job 7] PageLeft = 18.0, PageRight = 594.0',
'D [04/May/2009:20:16:28 +0300] [Job 7] PageTop = 777.6, PageBottom = 14.4',
'D [04/May/2009:20:16:28 +0300] [Job 7] PageWidth = 612.0, PageLength = 792.0',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 1 pages...',
'D [04/May/2009:20:16:28 +0300] PID 3278 (/usr/lib/cups/filter/pstops) exited with no
errors.',
'D [04/May/2009:20:16:28 +0300] [Job 7] fomatic-rip version \$Revision=3.0.2.138\$
running...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Parsing PPD file ...',
'D [04/May/2009:20:16:28 +0300] [Job 7] *cupsFilter: "application/vnd.cups-postscript
0 fomatic-rip",
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option ColorSpace',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option Resolution',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option PageSize',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option PageRegion',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option Model',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option PrintoutMode',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option InputSlot',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option ImageableArea',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option PaperDimension',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option Duplex',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option Quality',
'D [04/May/2009:20:16:28 +0300] [Job 7] Added option Font',
'D [04/May/2009:20:16:28 +0300] [Job 7]',

'D [04/May/2009:20:16:28 +0300] [Job 7] Parameter Summary',
'D [04/May/2009:20:16:28 +0300] [Job 7] -----',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Spooler: cups',
'D [04/May/2009:20:16:28 +0300] [Job 7] Printer: HP-LaserJet-P1005',
'D [04/May/2009:20:16:28 +0300] [Job 7] Shell: /bin/sh',
'D [04/May/2009:20:16:28 +0300] [Job 7] PPD file: /etc/cups/ppd/HP-LaserJet-
P1005.ppd',
'D [04/May/2009:20:16:28 +0300] [Job 7] ATTR file:',
'D [04/May/2009:20:16:28 +0300] [Job 7] Printer model: HP LaserJet P2010 Foomatic/
hpijs (recommended)',
'D [04/May/2009:20:16:28 +0300] [Job 7] Job title: Test Page',
'D [04/May/2009:20:16:28 +0300] [Job 7] File(s) to be printed:',
'D [04/May/2009:20:16:28 +0300] [Job 7] <STDIN>',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
"D [04/May/2009:20:16:28 +0300] [Job 7] GhostScript extra search path ('GS_LIB'): /
usr/share/cups/fonts",
"D [04/May/2009:20:16:28 +0300] [Job 7] Pondering option 'job-
uuid=urn:uuid:a07f0fc6-ad4a-36b7-784c-c1a8b24227d8'",
'D [04/May/2009:20:16:28 +0300] [Job 7] Unknown option job-
uuid=urn:uuid:a07f0fc6-ad4a-36b7-784c-c1a8b24227d8.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7]
=====',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] File: <STDIN>',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7]
=====',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Reading PostScript input ...',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> This document is DSC-conforming!',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %RBINumCopies: 1',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] -----',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginProlog',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%EndProlog',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] -----',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginSetup',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginFeature: *PrintoutMode
Normal',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: PrintoutMode=Normal --> Setting
option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %% FoomaticRIPOptionSetting:
PrintoutMode=Normal',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: PrintoutMode=Normal --> Setting
option',

'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginFeature: *InputSlot
Default',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: InputSlot=Default --> Setting
option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %% FoomaticRIPOptionSetting:
InputSlot=Default',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: InputSlot=Default --> Setting
option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginFeature: *Quality
FromPrintoutMode',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: Quality=FromPrintoutMode -->
Setting option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %% FoomaticRIPOptionSetting:
Quality=@PrintoutMode',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: Quality=FromPrintoutMode -->
Setting option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginFeature: *PageRegion
Letter',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: PageRegion=Letter --> Option will
be set by PostScript interpreter',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %% FoomaticRIPOptionSetting:
PageSize=Letter',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: PageSize=Letter --> Setting option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginFeature: *Duplex None',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: Duplex=None --> Setting option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %% FoomaticRIPOptionSetting:
Duplex=None',
'D [04/May/2009:20:16:28 +0300] [Job 7] Option: Duplex=None --> Setting option',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%EndSetup',
"D [04/May/2009:20:16:28 +0300] [Job 7] Inserting PostScript code for CUPS' page
accounting",
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] -----',
'D [04/May/2009:20:16:28 +0300] [Job 7] New page: 1 1',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BeginPageSetup',
'D [04/May/2009:20:16:28 +0300] [Job 7] Inserting option code into "PageSetup"
section.',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%EndPageSetup',
'D [04/May/2009:20:16:28 +0300] [Job 7] End of page header',
'D [04/May/2009:20:16:28 +0300] [Job 7] Stopping search for page header options',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: lineto\t\t\t\t% Move there...',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> Output goes directly to the renderer
now.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Starting renderer',
'D [04/May/2009:20:16:28 +0300] [Job 7] JCL: <job data>',

'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] renderer PID kid4=3285',
'D [04/May/2009:20:16:28 +0300] [Job 7] renderer command: gs -q -d BATCH -
d PARANOIDS AFER -d QUIET -d NO PAUSE -s DEVICE=ijs -s IjsServer=hpijs -
s DeviceManufacturer="HEWLETT-PACKARD" -s DeviceModel="HP LaserJet" -
d DEVICEWIDTHPOINTS=612 -d DEVICEHEIGHTPOINTS=792 -d Duplex=false -r300 -
s IjsParams=Quality:Quality=0,Quality:ColorMode=0,Quality:MediaType=0,Quality:PenSet=0,P
S:MediaPosition=7 -d IjsUseOutputFD -s OutputFile=- -',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%Trailer',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> Continue DSC parsing now.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%Pages: 1',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> Continue DSC parsing now.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%BoundingBox: 0 0 612 792',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> Continue DSC parsing now.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Found: %%EOF',
'D [04/May/2009:20:16:28 +0300] [Job 7] --> Continue DSC parsing now.',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7]',
'D [04/May/2009:20:16:28 +0300] [Job 7] Closing renderer',
'D [04/May/2009:20:16:28 +0300] [Job 7] Starting process 3286: "foomatic-gswrapper
-q -d BATCH -d PARANOIDS AFER -d QUIET -d NO PAUSE -s DEVICE=ijs -s IjsServer=hpijs -
s Dev...'",
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 10 from localhost (Domain)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 10 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Get-Jobs ipp://localhost/printers/',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 10 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdCloseClient: 10',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 10 from localhost (Domain)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 10 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Get-Notifications /',
'D [04/May/2009:20:16:28 +0300] cupsdIsAuthorized: requesting-user-name="user"',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 10 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 10 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Get-Job-Attributes ipp://localhost/jobs/7',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 10 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 12 from localhost (Domain)',

'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 12 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Get-Notifications /',
'D [04/May/2009:20:16:28 +0300] cupsdIsAuthorized: requesting-user-name="user",
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 12 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 13 from localhost (Domain)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:28 +0300] CUPS-Get-Printers',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 13 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdCloseClient: 10',
'D [04/May/2009:20:16:28 +0300] [Job 7] foomatic-gswrapper: gs '-sstdout=%stderr'
'-dBATCHE' '-dPARANOIDSAFER' '-dQUIET' '-dNOPAUSE' '-sDEVICE=ijc' '-sIjsServer=hpijs'
'-sDeviceManufacturer=HEWLETT-PACKARD' '-sDeviceModel=HP LaserJet' '-
dDEVICEWIDTHPOINTS=612' '-dDEVICEHEIGHTPOINTS=792' '-dDuplex=false' '-r300' '-
sIjsParams=Quality:Quality=0,Quality:ColorMode=0,Quality:MediaType=0,Quality:PenSet=0,P
S:MediaPosition=7' '-dIjsUseOutputFD' '-sOutputFile=%stdout' '-_',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:28 +0300] CUPS-Get-Classes',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 13 status_code=0
(successful-ok)',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 4096 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 4096 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'I [04/May/2009:20:16:28 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:28 +0300] CUPS-Get-Default',
'D [04/May/2009:20:16:28 +0300] CUPS-Get-Default client-error-not-found: No
default printer',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 13 status_code=406
(client-error-not-found)',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...'

'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:28 +0300] CUPS-Get-Printers',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 13 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:28 +0300] cupsdAcceptClient: 15 from localhost (Domain)',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 15 POST / HTTP/1.1',
'D [04/May/2009:20:16:28 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:28 +0300] Get-Jobs ipp://localhost/printers/',
'D [04/May/2009:20:16:28 +0300] cupsdProcessIPPRequest: 15 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:28 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:29 +0300] CUPS-Get-Classes',
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 13 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...'

'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:29 +0300] CUPS-Get-Default',
'D [04/May/2009:20:16:29 +0300] CUPS-Get-Default client-error-not-found: No
default printer',
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 13 status_code=406
(client-error-not-found)',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:29 +0300] cupsdAcceptClient: 16 from localhost (Domain)',
'D [04/May/2009:20:16:29 +0300] cupsdCloseClient: 15',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] cupsdReadClient: 16 POST / HTTP/1.1',
'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:29 +0300] Get-Notifications /',
'D [04/May/2009:20:16:29 +0300] cupsdIsAuthorized: requesting-user-name="user"',
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 16 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:29 +0300] cupsdCloseClient: 16',
'D [04/May/2009:20:16:29 +0300] cupsdCloseClient: 12',
'D [04/May/2009:20:16:29 +0300] cupsdReadClient: 9 POST / HTTP/1.1',

'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:29 +0300] Get-Notifications /',
'D [04/May/2009:20:16:29 +0300] cupsdIsAuthorized: requesting-user-name="root",
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] cupsdAcceptClient: skipping getpeercon(),
'D [04/May/2009:20:16:29 +0300] cupsdAcceptClient: 12 from localhost (Domain),
'D [04/May/2009:20:16:29 +0300] cupsdReadClient: 12 POST / HTTP/1.1',
'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:29 +0300] Get-Notifications /',
'D [04/May/2009:20:16:29 +0300] cupsdIsAuthorized: requesting-user-name="user",
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 12 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:29 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:29 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:29 +0300] CUPS-Get-Printers',
'D [04/May/2009:20:16:29 +0300] cupsdProcessIPPRequest: 13 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:29 +0300] [Job 7] Read 8192 bytes of print data...'

'D [04/May/2009:20:16:30 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] [Job 7] Read 8192 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] [Job 7] Wrote 8192 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] [Job 7] Read 3761 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] [Job 7] Wrote 3761 bytes of print data...',
'D [04/May/2009:20:16:30 +0300] PID 3280 (/usr/lib/cups/backend/usb) exited with no errors.',
'D [04/May/2009:20:16:30 +0300] [Job 7] File 0 is complete.',
'I [04/May/2009:20:16:30 +0300] [Job 7] Completed successfully.',
'I [04/May/2009:20:16:30 +0300] Saving subscriptions.conf...',
'I [04/May/2009:20:16:30 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: 12 from localhost (Domain)',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: 15 from localhost (Domain)',
'D [04/May/2009:20:16:30 +0300] cupsdReadClient: 12 POST / HTTP/1.1',
'D [04/May/2009:20:16:30 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:30 +0300] Get-Jobs ipp://localhost/printers/',
'D [04/May/2009:20:16:30 +0300] cupsdProcessIPPRequest: 12 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:30 +0300] cupsdReadClient: 15 POST / HTTP/1.1',
'D [04/May/2009:20:16:30 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:30 +0300] Get-Notifications /',
'D [04/May/2009:20:16:30 +0300] cupsdIsAuthorized: requesting-user-name="user"',
'D [04/May/2009:20:16:30 +0300] cupsdProcessIPPRequest: 15 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:30 +0300] cupsdAcceptClient: 16 from localhost (Domain)',
'D [04/May/2009:20:16:30 +0300] cupsdCloseClient: 12',
'D [04/May/2009:20:16:30 +0300] cupsdReadClient: 16 POST / HTTP/1.1',
'D [04/May/2009:20:16:30 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:30 +0300] Get-Notifications /',
'D [04/May/2009:20:16:30 +0300] cupsdIsAuthorized: requesting-user-name="user"',
'D [04/May/2009:20:16:30 +0300] cupsdProcessIPPRequest: 16 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:30 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:30 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:30 +0300] CUPS-Get-Printers',
'D [04/May/2009:20:16:30 +0300] cupsdProcessIPPRequest: 13 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:30 +0300] cupsdReadClient: 13 POST / HTTP/1.1',
'D [04/May/2009:20:16:31 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:31 +0300] CUPS-Get-Classes',
'D [04/May/2009:20:16:31 +0300] cupsdProcessIPPRequest: 13 status_code=0 (successful-ok)',
'D [04/May/2009:20:16:31 +0300] [Job 7] Unloading...',
'D [04/May/2009:20:16:31 +0300] cupsdReadClient: 13 POST / HTTP/1.1',

```
'D [04/May/2009:20:16:31 +0300] cupsdAuthorize: Authorized as root using Basic',
'D [04/May/2009:20:16:31 +0300] CUPS-Get-Default',
'D [04/May/2009:20:16:31 +0300] CUPS-Get-Default client-error-not-found: No
default printer',
'D [04/May/2009:20:16:31 +0300] cupsdProcessIPPRequest: 13 status_code=406
(client-error-not-found)',
'D [04/May/2009:20:16:31 +0300] cupsdCloseClient: 16',
'D [04/May/2009:20:16:31 +0300] cupsdCloseClient: 15',
'D [04/May/2009:20:16:31 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:31 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:31 +0300] Get-Notifications /',
'D [04/May/2009:20:16:31 +0300] cupsdIsAuthorized: requesting-user-name="root",
'D [04/May/2009:20:16:31 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:41 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:41 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:41 +0300] Get-Job-Attributes ipp://localhost/jobs/7',
'D [04/May/2009:20:16:41 +0300] [Job 7] Loading attributes...',
'D [04/May/2009:20:16:41 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:41 +0300] cupsdReadClient: 9 POST / HTTP/1.1',
'D [04/May/2009:20:16:41 +0300] cupsdAuthorize: No authentication data provided.',
'D [04/May/2009:20:16:41 +0300] Cancel-Subscription /',
'D [04/May/2009:20:16:41 +0300] cupsdIsAuthorized: requesting-user-name="root",
'I [04/May/2009:20:16:41 +0300] Saving subscriptions.conf...',
'D [04/May/2009:20:16:41 +0300] cupsdProcessIPPRequest: 9 status_code=0
(successful-ok)',
'D [04/May/2009:20:16:41 +0300] cupsdAcceptClient: skipping getpeercon()',
'D [04/May/2009:20:16:41 +0300] cupsdAcceptClient: 12 from localhost (Domain)',
'D [04/May/2009:20:16:41 +0300] cupsdCloseClient: 9',
'D [04/May/2009:20:16:41 +0300] cupsdReadClient: 12 GET /admin/log/error_log
HTTP/1.1',
'D [04/May/2009:20:16:41 +0300] cupsdAuthorize: No authentication data provided.'],
'error_log_debug_logging_unset': True}
Page 11 (Locale issues):
{'printer_page_size': 'Letter',
'system_locale_lang': 'en_US',
'user_locale_ctype': 'en_US',
'user_locale_messages': 'en_US'}
```